The Journal of Clinical Investigation

January to June 1993
Volume 91

Produced by
The Rockefeller University Press
for The American Society
for Clinical Investigation, Inc.

The Journal of Clinical Investigation

Published by The Rockefeller University Press, New York *for* The American Society for Clinical Investigation, Inc.

Ajit P. Varki, *Editor*

Dennis A. Carson, *Associate Editor*
Kenneth R. Chien, *Associate Editor*
Mark H. Ginsberg, *Associate Editor*
Donald G. Guiney, *Associate Editor*
Paul A. Insel, *Associate Editor*
Martin F. Kagnoff, *Associate Editor*
Daniel T. O'Connor, *Associate Editor*
Jerrold M. Olefsky, *Associate Editor*
Peter D. Wagner, *Associate Editor*
Joseph L. Witztum, *Associate Editor*

Michael J. Held, *Managing Editor*

E. Kay Meschko, *Assistant Managing Editor*

Consulting Editors

R. Wayne Alexander
Robert J. Alpern*
David H. Alpers
William P. Arend
Bernard M. Babior
Elizabeth Barrett-Connor
Kurt Benirschke
Bruce Beutler*
Ernest Beutler
Michael P. Bevilacqua
J. Michael Bishop
Roland C. Blantz
Jan L. Breslow*
Arthur E. Broadus*
Frances M. Brodsky*
Eric J. Brown
Gerard N. Burrow
Webster Cavenee
Alan Cherrington
William W. Chin*
Francis V. Chisari
Charles G. Cochrane
Desire Collen
Barry S. Coller
James D. Crapo
Philip E. Cryer
Linda K. Curtiss
Robert J. Desnick*
Jared M. Diamond
Janice G. Douglas*
Jeffrey M. Drazen
Boris Draznin
Richard Dutton
Walter Eckhart
Robert A. Eisenberg
Glen A. Evans
Darrell D. Fanestil
Marilyn G. Farquhar
Jack L. Feldman
James R. Feramisco
Joshua Fierer
Alan M. Fogelman
Elaine V. Fuchs*
Fred H. Gage
Detlev Ganten
Gordon N. Gill
Henry N. Ginsberg
Stephen L. Gluck*
Jeffrey I. Gordon*
Mehran Goulian
Harry B. Greenberg*
Warner C. Greene*
Bevra H. Hahn
John M. Harlan*
Stephen M. Hedrick
Helen H. Hobbs*
Brian B. Hoffman
Alan Hofmann
Tasuku Honjo
Jay H. Hoofnagle
Marcus A. Horwitz*
Stephen B. Howell
Willa A. Hsueh
Charles A. Janeway, Jr.
C. Ronald Kahn
Yuet Wai Kan
Elliott D. Kieff
Seymour J. Klebanoff
Robert A. Klocke
Orville Kolterman
Stuart Kornfeld
Stanley J. Korsmeyer*
Ira Kurtz
Alan R. Leff
Robert J. Lefkowitz*
Peter Libby
Stephen A. Liebhaber*
Dean H. Lockwood
Dennis Y. Loh*
David J. Loskutoff
James L. Madara*
Eduardo Marban*
John A. McDonald
Rodger P. McEver*
Shlomo Melmed
Donald Metcalf
Beverly S. Mitchell*
Robert L. Modlin
Salvador Moncada
Joel Moss*
Barbara E. Murray*
Jacob B. Natvig
Paul E. Neiman*
Yale Nemerson
Gerald T. Nepom
Elizabeth F. Neufeld
Yasutomi Nishizuka
Stuart H. Orkin
George E. Palade
Stephen J. Pandol
James C. Paulson
Daniel K. Podolsky
Kenneth S. Polonsky
Jacques Pouyssegur
Stephen M. Prescott*
Douglas Richman
Alan G. Robinson*
John Ross, Jr.
Arthur H. Rubenstein
Erkki Ruoslahti
Robert S. Schwartz*
Stephen M. Schwartz
William E. Seaman
Sanford J. Shattil
Jan J. Sixma
Dennis J. Slamon
James R. Snapper
Roger Spragg
Daniel Steinberg
Judith L. Swain*
Eng M. Tan
Palmer W. Taylor
Simeon I. Taylor*
Donald F. Tierney
Michael Tuck
Geoffrey M. Wahl
John H. Walsh
Karlman Wasserman
Stephen Wasserman
David J. Weatherall
Arthur Weiss*
Michael J. Welsh*
John B. West
Cornelia Weyand
Raymond L. White
R. Sanders Williams*
Flossie Wong-Staal
Stephen G. Young
Elizabeth Ziegler

* Members of The Editorial Committee, American Society for Clinical Investigation, Inc.

Copy Editing and Production Dianne Mitchell and Effie Pavlou

Editorial Offices: **University of California at San Diego, School of Medicine**
Veterans Affairs Medical Center, 9-JCI, Room 5142
3350 La Jolla Village Drive, San Diego, CA 92161

Contents

The Journal of Clinical Investigation
January 1993, Volume 91, Number 1

Instructions to Authors i

The editorial policies and practices of The Journal of Clinical Investigation. *A. Varki* iv

Editorials

Endothelial dysfunction in the coronary microcirculation: A new clinical entity or an experimental finding? *D. G. Harrison* 1

A siren song from tumor cells. *W. K. Cavenee* 3

Serum-derived growth factor is thrombin? *S. M. Schwartz* 4

Regular Articles

Direct evidence for the absence of active Na^+ reabsorption in hamster ascending thin limb of Henle's loop. *Y. Kondo, K. Abe, Y. Igarashi, K. Kudo, K. Tada, and K. Yoshinaga* 5

Specificity of T cells invading the skin during acute graft-vs.-host disease after semiallogeneic bone marrow transplantation. *J. Gaschet, B. Mahé, N. Milpied, M.-C. Devilder, B. Dréno, J.-D. Bignon, F. Davodeau, M.-M. Hallet, M. Bonneville, and H. Vié* 12

Transport defects of rabbit medullary thick ascending limb cells in obstructive nephropathy. *S.-J. Hwang, M. Haas, H. W. Harris, Jr., P. Silva, S. Yalla, M. R. Sullivan, G. Otuechere, M. Kashgarian, and M. L. Zeidel* 21

Impaired coronary blood flow response to acetylcholine in patients with coronary risk factors and proximal atherosclerotic lesions. *K. Egashira, T. Inou, Y. Hirooka, A. Yamada, Y. Maruoka, H. Kai, M. Sugimachi, S. Suzuki, and A. Takeshita* 29

Protection by antibiotics against myeloperoxidase-dependent cytotoxicity to lung epithelial cells in vitro. *A. Cantin and D. E. Woods* 38

Hyperoxic sheep pulmonary microvascular endothelial cells generate free radicals via mitochondrial electron transport. *S. P. Sanders, J. L. Zweier, P. Kuppusamy, S. J. Harrison, D. J. P. Bassett, E. W. Gabrielson, and J. T. Sylvester* 46

Increase in activity and level of $pp60^{c\text{-}src}$ in progressive stages of human colorectal cancer. *M. S. Talamonti, M. S. Roh, S. A. Curley, and G. E. Gallick* 53

The contact system contributes to hypotension but not disseminated intravascular coagulation in lethal bacteremia. In vivo use of a monoclonal anti–Factor XII antibody to block contact activation in baboons. *R. A. Pixley, R. De La Cadena, J. D. Page, N. Kaufman, E. G. Wyshock, A. Chang, F. B. Taylor, Jr., and R. W. Colman* 61

Characterization of the internalization of bacillus Calmette-Guerin by human bladder tumor cells. *K. Kuroda, E. J. Brown, W. B. Telle, D. G. Russell, and T. L. Ratliff* 69

An isoform-specific mutation in the protein 4.1 gene results in hereditary elliptocytosis and complete deficiency of protein 4.1 in erythrocytes but not in nonerythroid cells. *J. G. Conboy, J. A. Chasis, R. Winardi, G. Tchernia, Y. W. Kan, and N. Mohandas* 77

Lovastatin inhibits proliferation of rat mesangial cells. *M. P. O'Donnell, B. L. Kasiske, Y. Kim, D. Atluru, and W. F. Keane* 83

Expression of high affinity interleukin-4 receptors on human renal cell carcinoma cells and inhibition of tumor cell growth in vitro by interleukin-4. *N. I. Obiri, G. G. Hillman, G. P. Haas, S. Sud, and R. K. Puri* . . . 88

Thrombin stimulates proliferation of cultured rat aortic smooth muscle cells by a proteolytically activated receptor. *C. A. McNamara, I. J. Sarembock, L. W. Gimple, J. W. Fenton II, S. R. Coughlin, and G. K. Owens* . . . 94

Carrier detection in families with properdin deficiency by microsatellite haplotyping. *K. Kölble, A. J. Cant, A. C. Fay, K. Whaley, M. Schlesinger, and K. B. M. Reid* 99

Soluble complex of complement increases hydraulic conductivity in single microvessels of rat lung. *S. Ishikawa, H. Tsukada, and J. Bhattacharya* 103

Glucocorticoids stimulate rabbit proximal convoluted tubule acidification. *M. Baum and R. Quigley* 110

Dietary n-3 fatty acid effects on neutrophil lipid composition and mediator production. Influence of duration and dosage. *F. H. Chilton, M. Patel, A. N. Fonteh, W. C. Hubbard, and M. Triggiani* 115

Selective modulation of human natural killer cells in vivo after prolonged infusion of low dose recombinant interleukin 2. *M. A. Caligiuri, C. Murray, M. J. Robertson, E. Wang, K. Cochran, C. Cameron, P. Schow, M. E. Ross, T. R. Klumpp, R. J. Soiffer, K. A. Smith, and J. Ritz* . . . 123

Development and transfer of immediate cutaneous hypersensitivity in mice exposed to aerosolized antigen. *J. Saloga, H. Renz, G. Lack, K. L. Bradley, J. L. Greenstein, G. Larsen, and E. W. Gelfand* 133

Effect of insulin-like growth factor-1 on the responses to and recognition of hypoglycemia in humans. A comparison with insulin. *D. Kerr, W. V. Tamborlane, F. Rife, and R. S. Sherwin* 141

Reversible expansion of primate mast cell populations in vivo by stem cell factor. *S. J. Galli, A. Iemura, D. S. Garlick, C. Gamba-Vitalo, K. M. Zsebo, and R. G. Andrews* 148

Expression of the vascular permeability factor/vascular endothelial growth factor gene in central nervous system neoplasms. *R. A. Berkman, M. J. Merrill, W. C. Reinhold, W. T. Monacci, A. Saxena, W. C. Clark, J. T. Robertson, I. U. Ali, and E. H. Oldfield* 153

Expression of vascular endothelial growth factor does not promote transformation but confers a growth advantage in vivo to Chinese hamster ovary cells. *N. Ferrara, J. Winer, T. Burton, A. Rowland, M. Siegel, H. S. Phillips, T. Terrell, G. A. Keller, and A. D. Levinson* 160

Regulation of the mature human T cell receptor γ repertoire by biased V-J gene rearrangement. *H. Kohsaka, P. P. Chen, A. Taniguchi, W. E. R. Ollier, and D. A. Carson* 171

High prevalence of mutations of the p53 gene in poorly differentiated human thyroid carcinomas. *J. A. Fagin, K. Matsuo, A. Karmakar, D. L. Chen, S.-H. Tang, and H. P. Koeffler* 179

Synthesis of oxytocin in amnion, chorion, and decidua may influence the timing of human parturition. *R. Chibbar, F. D. Miller, and B. F. Mitchell* 185

Kistrin, an integrin antagonist, blocks endocytosis of fibrinogen into guinea pig megakaryocyte and platelet α-granules. *P. Handagama, D. F. Bainton, Y. Jacques, M. T. Conn, R. A. Lazarus, and M. A. Shuman* 193

In vitro molecular reconstitution of the respiratory burst in B lymphoblasts from p47-*phox*-deficient chronic granulomatous disease. *B. D. Volpp and Y. Lin* 201

Band 3 and glycophorin are progressively aggregated in density-fractionated sickle and normal red blood cells. Evidence from rotational and lateral mobility studies. *J. D. Corbett and D. E. Golan* 208

The antimalarial action of desferal involves a direct access route to erythrocytic (*Plasmodium falciparum*) parasites. *M. Loyevsky, S. D. Lytton, B. Mester, J. Libman, A. Shanzer, and Z. I. Cabantchik* 218

Diversity of airway epithelial cell targets for in vivo recombinant adenovirus-mediated gene transfer. *A. Mastrangeli, C. Danel, M. A. Rosenfeld, L. Stratford-Perricaudet, M. Perricaudet, A. Pavirani, J.-P. Lecocq, and R. G. Crystal* 225

Peptidase modulation of vasoactive intestinal peptide pulmonary relaxation in tracheal superfused guinea pig lungs. *C. M. Lilly, M. A. Martins, and J. M. Drazen* . . . 235

Differential control of somatostatin messenger RNA in rat gastric corpus and antrum. Role of acid, food, and capsaicin-sensitive afferent neurons. *A. K. Sandvik, R. Dimaline, E. R. Forster, D. Evans, and G. J. Dockray* 244

Increased plasma viscosity as a reason for inappropriate erythropoietin formation. *A. Singh, K. U. Eckardt, A. Zimmermann, K. H. Götz, M. Hamann, P. J. Ratcliffe, A. Kurtz, and W. H. Reinhart* 251

Macrophage colony-stimulating factor is indispensable for both proflieration and differentiation of osteoclast progenitors. *S. Tanaka, N. Takahashi, N. Udagawa, T. Tamura, T. Akatsu, E. R. Stanley, T. Kurokawa, and T. Suda* 257

Predominant expression of β_1-adrenergic receptor in the thick ascending limb of rat kidney. Absolute mRNA quantitation by reverse transcription and polymerase chain reaction. *J.-M. Elalouf, J.-M. Buhler, C. Tessiot, A.-C. Bellanger, I. Dublineau, and C. de Rouffignac* . . . 264

A monoclonal antibody recognizes a von Willebrand factor domain within the amino-terminal portion of the subunit that modulates the function of the glycoprotein IB- and IIB/IIIA-binding domains. *I. Tornai, J. Arnout, H. Deckmyn, K. Peerlinck, and J. Vermylen* 273

Rhesus monkey lipoprotein(a) binds to lysine sepharose and U937 monocytoid cells less efficiently than human lipoprotein(a). Evidence for the dominant role of kringle 4_{IV}. *A. M. Scanu, L. A. Miles, G. M. Fless, D. Pfaffinger, J. Eisenbart, E. Jackson, J. L. Hoover-Plow, T. Brunck, and E. F. Plow* 283

Clonal expansion of lung Vδ1$^+$ T cells in pulmonary sarcoidosis. *J. M. Forrester, L. S. Newman, Y. Wang, T. E. King, Jr., and B. L. Kotzin* 292

Preserved incretin activity of glucagon-like peptide 1 [7-36 amide] but not of synthetic human gastric inhibitory polypeptide in patients with type-2 diabetes mellitus. *M. A. Nauck, M. M. Heimesaat, C. Ørskov, J. J. Holst, R. Ebert, and W. Creutzfeldt* 301

Adverse vascular effects of homocysteine are modulated by endothelium-derived relaxing factor and related oxides of nitrogen. *J. S. Stamler, J. A. Osborne, O. Jaraki, L. E. Rabbani, M. Mullins, D. Singel, and J. Loscalzo* . . 308

Regulation of membrane chloride currents in rat bile duct epithelial cells. *J. G. Fitz, S. Basavappa, J. McGill, O. Melhus, and J. A. Cohn* 319

Differentiation-associated switches in protein 4.1 expression. Synthesis of multiple structural isoforms during normal human erythropoiesis. *J. A. Chasis, L. Coulombel, J. Conboy, S. McGee, K. Andrews, Y. W. Kan, and N. Mohandas* 329

Rapid Publications

Antibody to Rmp (outer membrane protein 3) increases susceptibility to gonococcal infection. *F. A. Plummer, H. Chubb, J. N. Simonsen, M. Bosire, L. Slaney, I. Maclean, J. O. Ndinya-Achola, P. Waiyaki, and R. C. Brunham* 339

Tissue distribution of β3-adrenergic receptor mRNA in man. *S. Krief, F. Lönnqvist, S. Raimbault, B. Baude, A. Van Spronsen, P. Arner, A. D. Strosberg, D. Ricquier, and L. J. Emorine* 344

Islet cell cytoplasmic autoantibody reactivity to glutamate decarboxylase in insulin-dependent diabetes. *M. A. Atkinson, D. L. Kaufman, D. Newman, A. J. Tobin, and N. K. Maclaren* 350

Epidermolytic hyperkeratosis (bullous congenital ichthyosiform erythroderma). Genetic linkage to chromosome 12q in the region of the type II keratin gene cluster. *L. Pulkkinen, A. M. Christiano, R. G. Knowlton, and J. Uitto* 357

Bone marrow–derived osteoclast-like cells from a patient with craniometaphyseal dysplasia lack expression of osteoclast-reactive vacuolar proton pump. *T. Yamamoto, N. Kurihara, K. Yamaoka, K. Ozono, M. Okada, K. Yamamoto, S. Matsumoto, T. Michigami, J. Ono, and S. Okada* 362

Quantitative assay using recombinant human islet glutamic acid decarboxylase (GAD65) shows that 64K autoantibody postivity at onset predicts diabetes type. *W. A. Hagopian, A. E. Karlsen, A. Gottsäter, M. Landin-Olsson, C. E. Grubin, G. Sundkvist, J. S. Petersen, E. Boel, T. Dyrberg, and Å. Lernmark* 368

January Author Index 375

Contents

The Journal of Clinical Investigation
February 1993, Volume 91, Number 2

Editorials

Anoxia? Don't get excited! *J. A. Neubauer* 377

Intravenous IgG: supertherapy for superantigens? *R. R. Rich* 378

Perspectives

Selectins. *M. P. Bevilacqua and R. M. Nelson* 379

Regular Articles

Prolongation of survival of rat cardiac allografts by T cell vaccination. *O. M. Shapira, E. Mor, T. Reshef, R. A. Pfeffermann, and I. R. Cohen* 388

Enhancement of the anabolic effects of growth hormone and insulin-like growth factor I by use of both agents simultaneously. *S. R. Kupfer, L. E. Underwood, R. C. Baxter, and D. R. Clemmons* 391

Elevated plasma concentrations of lipoprotein(a) in patients with end-stage renal disease are not related to the size polymorphism of apolipoprotein(a). *H. Dieplinger, C. Lackner, F. Kronenberg, C. Sandholzer, K. Lhotta, F. Hoppichler, H. Graf, and P. König* 397

Independently derived murine glomerular immune deposit-forming anti-DNA antibodies are encoded by near-identical V_H gene sequences. *M. S. Katz, M. H. Foster, and M. P. Madaio* 402

Intracellular signaling in the regulation of renal Na-K-ATPase. II. Role of eicosanoids. *T. Satoh, H. T. Cohen, and A. I. Katz* 409

Inhibition of human erythroid colony-forming units by tumor necrosis factor requires beta interferon. *R. T. Means, Jr., and S. B. Krantz* 416

^{31}P-magnetic resonance spectroscopy assessment of subnormal oxidative metabolism in skeletal muscle of renal failure patients. *G. E. Moore, L. A. Bertocci, and P. L. Painter* 420

Androgen regulation of epidermal growth factor receptor binding activity during fetal rabbit lung development. *J. M. Klein and H. C. Nielsen* 425

Interference of glycogenolysis with glycolysis in pancreatic islets from glucose-infused rats. *W. J. Malaisse, C. Maggetto, V. Leclercq-Meyer, and A. Sener* 432

Oxygen tension regulates the nitric oxide pathway. Physiological role in penile erection. *N. Kim, Y. Vardi, H. Padma-Nathan, J. Daley, I. Goldstein, and I. Saenz de Tejada* 437

Variation in lipoprotein(a) concentrations among individuals with the same apolipoprotein(a) isoform is determined by the rate of lipoprotein(a) production. *D. J. Rader, W. Cain, L. A. Zech, D. Usher, and H. B. Brewer, Jr.* 443

Heterozygous lipoprotein lipase deficiency due to a missense mutation as the cause of impaired triglyceride tolerance with multiple lipoprotein abnormalities. *G. Miesenböck, B. Hölzl, B. Föger, E. Brandstätter, B. Paulweber, F. Sandhofer, and J. R. Patsch* 448

Time course and mechanism of oxidative stress and tissue damage in rat liver subjected to in vivo ischemia-reperfusion. *B. González-Flecha, J. C. Cutrin, and A. Boveris* 456

Vascular heat shock protein expression in response to stress. Endocrine and autonomic regulation of this age-dependent response. *R. Udelsman, M. J. Blake, C. A. Stagg, D.-g. Li, D. J. Putney, and N. J. Holbrook* . . 465

Tumor necrosis factor stimulates amino acid transport in plasma membrane vesicles from rat liver. *A. J. Pacitti, Y. Inoue, and W. W. Souba* 474

Characterization of cellular defects of insulin action in type 2 (non-insulin-dependent) diabetes mellitus. *S. Del Prato, R. C. Bonadonna, E. Bonora, G. Gulli, A. Solini, M. Shank, and R. A. DeFronzo* 484

Thiol suppression of human immunodeficiency virus type 1 replication in primary cord blood monocyte-derived macrophages in vitro. *J. Lioy, W.-Z. Ho, J. R. Cutilli, R. A. Polin, and S. D. Douglas* 495

Tolerance of rats to hyperoxia. Lung antioxidant enzyme gene expression. *L. B. Clerch and D. Massaro* 499

Abnormal regulation of ribosomal protein S6 kinase by insulin in skeletal muscle of insulin-resistant humans. *J. Sommercorn, R. Fields, I. Raz, and R. Maeda* 509

Effect of insulin on system A amino acid transport in human skeletal muscle. *R. C. Bonadonna, M. P. Saccomani, C. Cobelli, and R. A. DeFronzo* . . . 514

Characterization of apolipoprotein A-I– and A-II–containing lipoproteins in a new case of high density lipoprotein deficiency resembling Tangier disease and their effects on intracellular cholesterol efflux. *M. C. Cheung, A. J. Mendez, A. C. Wolf, and R. H. Knopp* 522

Ontogeny of type 1 angiotensin II receptor gene expression in the rat. *A. Tufro-McReddie, J. K. Harrison, A. D. Everett, and R. A. Gomez* 530

An arginine to histidine mutation in codon 311 of the C-*erbA*β gene results in a mutant thyroid hormone receptor that does not mediate a dominant negative phenotype. *M. E. Geffner, F. Su, N. S. Ross, J. M. Hershman, C. Van Dop, J. B. Menke, E. Hao, R. K. Stanzak, T. Eaton, H. H. Samuels, and S. J. Usala* 538

Agonist-mediated tissue factor expression in cultured vascular smooth muscle cells. Role of Ca^{2+} mobilization and protein kinase C activation. *M. B. Taubman, J. D. Marmur, C.-L. Rosenfield, A. Guha, S. Nichtberger, and Y. Nemerson* 547

Coexpression of phosphotyrosine-containing proteins, platelet-derived growth factor-B, and fibroblast growth factor-1 in situ in synovial tissues of patients with rheumatoid arthritis and Lewis rats with adjuvant or streptococcal cell wall arthritis. *H. Sano, K. Engleka, P. Mathern, T. Hla, L. J. Crofford, E. F. Remmers, C. L. Jelsema, E. Goldmuntz, T. Maciag, and R. L. Wilder* 553

Evidence that granulocyte macrophage–colony-stimulating factor regulates the distribution and differentiated state of dendritic cells/Langerhans cells in human lung and lung cancers. *A. Tazi, F. Bouchonnet, M. Grandsaigne, L. Boumsell, A. J. Hance, and P. Soler* 566

Requirements for leukocyte adhesion molecules in nephrotoxic nephritis. *M. S. Mulligan, K. J. Johnson, R. F. Todd III, T. B. Issekutz, M. Miyasaka, T. Tamatani, C. W. Smith, D. C. Anderson, and P. A. Ward* 577

Neointimal macrophages colocalize with extracellular matrix gene expression in human atherosclerotic pulmonary arteries. *M. J. Liptay, W. C. Parks, R. P. Mecham, J. Roby, L. R. Kaiser, J. D. Cooper, and M. D. Botney* 588

Heterogeneous response to calcium by individual parathyroid cells. *F. Sun, C. K. Ritchie, C. Hassager, P. Maercklein, and L. A. Fitzpatrick* 595

Intravenous immunoglobulin contains specific antibodies inhibitory to activation of T cells by staphylococcal toxin superantigens. *S. Takei, Y. K. Arora, and S. M. Walker* 602

Human neocortical excitability is decreased during anoxia via sodium channel modulation. *T. R. Cummins, C. Jiang, and G. G. Haddad* 608

Binding of myelin basic protein peptides to human histocompatibility leukocyte antigen class II molecules and their recognition by T cells from multiple sclerosis patients. *A. Valli, A. Sette, J. Kappos, C. Oseroff, J. Sidney, G. Miescher, M. Hochberger, E. D. Albert, and L. Adorini* 616

Influence of the high-affinity growth hormone (GH)–binding protein on plasma profiles of free and bound GH and on the apparent half-life of GH. Modeling analysis and clinical applications. *J. D. Veldhuis, M. L. Johnson, L. M. Faunt, M. Mercado, and G. Baumann* 629

Adaptation to increased dietary salt intake in the rat. Role of endogenous nitric oxide. *P. J. Shultz and J. P. Tolins* 642

Dietary ω-3 polyunsaturated fatty acids inhibit phosphoinositide formation and chemotaxis in neutrophils. *R. I. Sperling, A. I. Benincaso, C. T. Knoell, J. K. Larkin, K. F. Austen, and D. R. Robinson* 651

Increased intestinal vitamin D receptor in genetic hypercalciuric rats. A cause of intestinal calcium hyperabsorption. *X.-Q. Li, V. Tembe, G. M. Horwitz, D. A. Bushinsky, and M. J. Favus* 661

Effects of oleate-rich and linoleate-rich diets on the susceptibility of low density lipoprotein to oxidative modification in mildly hypercholesterolemic subjects. *P. Reaven, S. Parthasarathy, B. J. Grasse, E. Miller, D. Steinberg, and J. L. Witztum* 668

Genetic and phenotypic heterogeneity in familial lecithin: cholesterol acyltransferase (LCAT) deficiency. Six newly identified defective alleles further contribute to the structural heterogeneity in this disease. *H. Funke, A. von Eckardstein, P. H. Pritchard, A. E. Hornby, H. Wiebusch, C. Motti, M. R. Hayden, C. Dachet, B. Jacotot, U. Gerdes, O. Faergeman, J. J. Albers, N. Colleoni, A. Catapano, J. Frohlich, and G. Assmann* . . 677

Lack of HLA class I antigen expression by melanoma cells SK-MEL-33 caused by a reading frameshift in β_2-microglobulin messenger RNA. *Z. Wang, Y. Cao, A. P. Albino, R. A. Zeff, A. Houghton, and S. Ferrone* . . 684

Reversal of lidocaine effects on sodium currents by isoproterenol in rabbit hearts and heart cells. *H.-C. Lee, J. J. Matsuda, S. I. Reynertson, J. B. Martins, and E. F. Shibata* 693

Inorganic iron effects on in vitro hypoxic proximal renal tubular cell injury. *R. A. Zager, B. A. Schimpf, C. R. Bredl, and D. J. Gmur* 702

Transgenic mice expressing a partially deleted gene for type I procollagen (COL1A1). A breeding line with a phenotype of spontaneous fractures and decreased bone collagen and mineral. *R. Pereira, J. S. Khillan, H. J. Helminen, E. L. Hume, and D. J. Prockop* 709

Rapid Publications

Major cytoplasmic membrane protein of *Legionella pneumophila*, a genus common antigen and member of the hsp 60 family of heat shock proteins, induces protective immunity in a guinea pig model of Legionnaires' disease. *S. J. Blander and M. A. Horwitz* 717

Prevention of smooth muscle cell outgrowth from human atherosclerotic plaque by a recombinant cytotoxin specific for the epidermal growth factor receptor. *J. G. Pickering, P. A. Bacha, L. Weir, J. Jekanowski, J. C. Nichols, and J. M. Isner* 724

Differential expression of mRNA for guanylyl cyclase–linked endothelium-derived relaxing factor receptor subunits in rat kidney. *K. Ujiie, J. G. Drewett, P. S. T. Yuen, and R. A. Star* 730

February Author Index 735

Retraction 737

Contents

The Journal of Clinical Investigation
March 1993, Volume 91, Number 3

Editorial

Transgenic models of hypertension: useful tools or unusual toys?
T. W. Kurtz 741

Regular Articles

Increased adrenal renin in transgenic hypertensive rats, TGR (mREN2) 27, and its regulation by cAMP, angiotensin II, and calcium. *J. Peters, K. Münter, M. Bader, E. Hackenthal, J. J. Mullins, and D. Ganten* 742

Metabolism of triglyceride-rich lipoproteins during alimentary lipemia. *F. Karpe, G. Steiner, T. Olivecrona, L. A. Carlson, and A. Hamsten* 748

Changes in interleukin-2 and interleukin-4 production in asymptomatic, human immunodeficiency virus-seropositive individuals. *M. Clerici, F. T. Hakim, D. J. Venzon, S. Blatt, C. W. Hendrix, T. A. Wynn, and G. M. Shearer* 759

Platelets and neutrophils are critical to the enhanced glomerular arachidonate metabolism in acute nephrotoxic nephritis in rats. *X. Wu, J. Pippin, and J. B. Lefkowith* 766

Renin expression in renal proximal tubule. *O. W. Moe, K. Ujiie, R. A. Star, R. T. Miller, J. Widell, R. J. Alpern, and W. L. Henrich* 774

Beta cell mass and growth after syngeneic islet cell transplantation in normal and streptozocin diabetic C57BL/6 mice. *E. Montaña, S. Bonner-Weir, and G. C. Weir* 780

Variable region expression in the antibody responses of infants vaccinated with *Haemophilus influenzae* type b polysaccharide–protein conjugates. Description of a new λ light chain–associated idiotype and the relation between idiotype expression, avidity, and vaccine formulation. *D. M. Granoff, P. G. Shackelford, S. J. Holmes, The Collaborative Vaccine Study Group, and A. H. Lucas* 788

A role for glycosphingolipid accumulation in the renal hypertrophy of streptozotocin-induced diabetes mellitus. *I. Z. Zador, G. D. Deshmukh, R. Kunkel, K. Johnson, N. S. Radin, and J. A. Shayman* 797

Pathological and immunological effects of ingesting L-tryptophan and 1,1′-ethylidenebis(L-tryptophan) in Lewis rats. *L. A. Love, J. I. Rader, L. J. Crofford, R. B. Raybourne, M. A. Principato, S. W. Page, M. W. Trucksess, M. J. Smith, E. M. Dugan, M. L. Turner, E. Zelazowski, P. Zelazowski, and E. M. Sternberg* 804

Neonatal hypothyroidism affects the timely expression of myelin-associated glycoprotein in the rat brain. *A. Rodriguez-Peña, N. Ibarrola, M. A. Iñiguez, A. Muñoz, and J. Bernal* 812

Hypoglycemia-associated autonomic failure in insulin-dependent diabetes mellitus. Recent antecedent hypoglycemia reduces autonomic responses to, symptoms of, and defense against subsequent hypoglycemia. *S. E. Dagogo-Jack, S. Craft, and P. E. Cryer* 819

Independent expression of fibril-forming collagens I, II, and III in chondrocytes of human osteoarthritic cartilage. *T. Aigner, W. Bertling, H. Stöss, G. Weseloh, and K. von der Mark* 829

Lack of hormone binding in COS-7 cells expressing a mutated growth hormone receptor found in Laron dwarfism. *M. Edery, M. Rozakis-Adcock, L. Goujon, J. Finidori, C. Lévi-Meyrueis, J. Paly, J. Djiane, M.-C. Postel-Vinay, and P. A. Kelly* 838

Placental glucose transporter gene expression and metabolism in the rat. *J. Zhou and C. A. Bondy* 845

Tolerance to endotoxin-induced expression of the interleukin-1β gene in blood neutrophils of humans with the sepsis syndrome. *C. E. McCall, L. M. Grosso-Wilmoth, K. LaRue, R. N. Guzman, and S. L. Cousart* 853

Modulation of monocyte activation in patients with rheumatoid arthritis by leukapheresis therapy. *G. Hahn, B. Stuhlmüller, N. Hain, J. R. Kalden, K. Pfizenmaier, and G. R. Burmester* . . 862

Mechanisms by which glucose can control insulin release independently from its action on adenosine triphosphate–sensitive K^+ channels in mouse B cells. *M. Gembal, P. Detimary, P. Gilon, Z.-Y. Gao, and J.-C. Henquin* 871

Impaired degradation of leukotrienes in patients with peroxisome deficiency disorders. *E. Mayatepek, W.-D. Lehmann, J. Fauler, D. Tsikas, J. C. Frölich, R. B. H. Schutgens, R. J. A. Wanders, and D. Keppler* 881

Iron sequestration by macrophages decreases the potential for extracellular hydroxyl radical formation. *O. Olakanmi, S. E. McGowan, M. B. Hayek, and B. E. Britigan* 889

Analysis of T cell responses in liver allograft recipients. Evidence for deletion of donor-specific cytotoxic T cells in the peripheral circulation. *J. M. Mathew, J. W. Marsh, B. Susskind, and T. Mohanakumar* 900

Myocardial β-adrenergic receptor function during the development of pacing-induced heart failure. *K. Kiuchi, R. P. Shannon, K. Komamura, D. J. Cohen, C. Bianchi, C. J. Homcy, S. F. Vatner, and D. E. Vatner* 907

Analysis of segmental phosphate absorption in intact rats. A compartmental analysis approach. *L. H. Kayne, D. Z. D'Argenio, J. H. Meyer, M. S. Hu, N. Jamgotchian, and D. B. N. Lee* . . . 915

Cholesterol kinetics in subjects with bile fistula. Positive relationship between size of the bile acid precursor pool and bile acid synthetic rate. *C. C. Schwartz, L. A. Zech, J. M. VandenBroek, and P. S. Cooper* 923

Downregulation of cardiac guanosine 5′-triphosphate-binding proteins in right atrium and left ventricle in pacing-induced congestive heart failure. *D. A. Roth, K. Urasawa, G. A. Helmer, and H. K. Hammond* 939

Preeclampsia is associated with abnormal expression of adhesion molecules by invasive cytotrophoblasts. *Y. Zhou, C. H. Damsky, K. Chiu, J. M. Roberts, and S. J. Fisher* 950

Herpes simplex virus infection of human fibroblasts and keratinocytes inhibits recognition by cloned $CD8^+$ cytotoxic T lymphocytes. *D. M. Koelle, M. A. Tigges, R. L. Burke, F. W. Symington, S. R. Riddell, H. Abbo, and L. Corey* 961

Regulation of transferrin receptor expression and ferritin content in human mononuclear phagocytes. Coordinate upregulation by iron transferrin and downregulation by interferon gamma. *T. F. Byrd and M. A. Horwitz* 969

Identification of haptoglobin as an angiogenic factor in sera from patients with systemic vasculitis. *M. C. Cid, D. S. Grant, G. S. Hoffman, R. Auerbach, A. S. Fauci, and H. K. Kleinman* . . 977

Human/severe combined immunodeficient mouse chimeras. An experimental in vivo model system to study the regulation of human endothelial cell–leukocyte adhesion molecules. *H.-C. Yan, I. Juhasz, J. Pilewski, G. F. Murphy, M. Herlyn, and S. M. Albelda* 986

Molecular cloning and functional expression of human connexin37, an endothelial cell gap junction protein. *K. E. Reed, E. M. Westphale, D. M. Larson, H.-Z. Wang, R. D. Veenstra, and E. C. Beyer* 997

Local expression of antiinflammatory cytokines in cancer. *M. Yamamura, R. L. Modlin, J. D. Ohmen, and R. L. Moy* . . . 1005

Lipoprotein–proteoglycan complexes induce continued cholesteryl ester accumulation in foam cells from rabbit atherosclerotic lesions. *P. Vijayagopal, S. R. Srinivasan, J.-H. Xu, E. R. Dalferes, Jr., B. Radhakrishnamurthy, and G. S. Berenson* 1011

Transforming growth factor β2 in epithelial differentiation of developing teeth and odontogenic tumors. *K. Heikinheimo, R.-P. Happonen, P. J. Miettinen, and O. Ritvos* 1019

Chylomicrons alter the fate of endotoxin, decreasing tumor necrosis factor release and preventing death. *H. W. Harris, C. Grunfeld, K. R. Feingold, T. E. Read, J. P. Kane, A. L. Jones, E. B. Eichbaum, G. F. Bland, and J. H. Rapp* 1028

Recombinant C1 inhibitor P5/P3 variants display resistance to catalytic inactivation by stimulated neutrophils. *E. Eldering, C. C. M. Huijbregts, J. H. Nuijens, A. J. Verhoeven, and C. E. Hack* 1035

Intrinsic radiation resistance of primary clonogenic blasts from children with newly diagnosed B-cell precursor acute lymphoblastic leukemia. *F. M. Uckun, W. Jaszcz, M. Chandan-Langlie, K. G. Waddick, K. Gajl-Peczalska, and C. W. Song* 1044

Inhibition of a *Plasmodium vinckei* cysteine proteinase cures murine malaria. *P. J. Rosenthal, G. K. Lee, and R. E. Smith* . . 1052

Metabolic handling of orally administered glucose in cirrhosis. *Y. T. Kruszynska, A. Meyer-Alber, F. Darakhshan, P. D. Home, and N. McIntyre* 1057

Chimerism and tolerance to host and donor in severe combined immunodeficiencies transplanted with fetal liver stem cells. *R. Bacchetta, B. A. E. Vandekerckhove, J.-L. Touraine, M. Bigler, S. Martino, L. Gebuhrer, J. E. de Vries, H. Spits, and M.-G. Roncarolo* 1067

Immune complexes from immunized mice and infected cystic fibrosis patients mediate murine and human T cell killing of hybridomas producing protective, opsonic antibody to *Pseudomonas aeruginosa*. *G. B. Pier, S. Takeda, M. Grout, and R. B. Markham* 1079

Involvement of endothelium-derived relaxing factor in the pressure control of renin secretion from isolated perfused kidney. *H. Scholz and A. Kurtz* 1088

Deletion of mitochondrial DNA in a case of early-onset diabetes mellitus, optic atrophy, and deafness (Wolfram syndrome, MIM 222300). *A. Rötig, V. Cormier, P. Chatelain, R. Francois, J.-M. Saudubray, P. Rustin, and A. Munnich* 1095

Arylsulfatase B-deficient mucopolysaccharidosis in rats. *M. Yoshida, J. Noguchi, H. Ikadai, M. Takahashi, and S. Nagase* 1099

Complete testicular feminization caused by amino-terminal truncation of the androgen receptor with downstream initation. *S. Zoppi, C. M. Wilson, M. D. Harbison, J. E. Griffin, J. D. Wilson, M. J. McPhaul, and M. Marcelli* 1105

Regulation of procollagen metabolism in the pressure-overloaded rat heart. *E. G. Eleftheriades, J.-B. Durand, A. G. Ferguson, G. L. Engelmann, S. B. Jones, and A. M. Samarel* 1113

Related individuals with different androgen receptor gene deletions. *H. E. MacLean, S. Chu, G. L. Warne, and J. D. Zajac* 1123

Posttranslational regulation of insulin-like growth factor binding protein-4 in normal and transformed human fibroblasts. Insulin-like growth factor dependence and biological studies. *C. A. Conover, M. C. Kiefer, and J. Zapf* 1129

An evaluation of several biochemical markers for bone formation and resorption in a protocol utilizing cyclical parathyroid hormone and calcitonin therapy for osteoporosis. *A. B. Hodsman, L. J. Fraher, T. Ostbye, J. D. Adachi, and B. M. Steer* 1138

Two preproendothelin 1 mRNAs transcribed by alternative promoters. *L. Benatti, L. Bonecchi, L. Cozzi, and P. Sarmientos* 1149

Higher-affinity oligosaccharide ligands for E-selectin. *R. M. Nelson, S. Dolich, A. Aruffo, O. Cecconi, and M. P. Bevilacqua* 1157

Role of pH in determining the cell-type–specific residual activity of glucocerebrosidase in type 1 Gaucher disease. *S. van Weely, M. van den Berg, J. A. Barranger, M. C. Sa Miranda, J. M. Tager, and J. M. F. G. Aerts* 1167

Mast cell activation enhances airway responsiveness to methacholine in the mouse. *T. R. Martin, T. Takeishi, H. R. Katz, K. F. Austen, J. M. Drazen, and S. J. Galli* 1176

Rapid Publications

Analysis of T cell receptor variability in tumor-infiltrating lymphocytes from a human regressive melanoma. Evidence for in situ T cell clonal expansion. *L. Ferradini, A. Mackensen, C. Genevée, J. Bosq, P. Duvillard, M.-F. Avril, and T. Hercend* . . 1183

Expression of int-2 oncogene in Kaposi's sarcoma lesions. *Y. Q. Huang, J. J. Li, D. Moscatelli, C. Basilico, A. Nicolaides, W. G. Zhang, B. J. Poiesz, and A. E. Friedman-Kien* 1191

The 67-kD elastin/laminin-binding protein is related to an enzymatically inactive, alternatively spliced form of β-galactosidase. *A. Hinek, M. Rabinovitch, F. Keeley, Y. Okamura-Oho, and J. Callahan* 1198

Mutations in core nucleotide sequence of hepatitis B virus correlate with fulminant and severe hepatitis. *T. Ehata, M. Omata, W.-L. Chuang, O. Yokosuka, Y. Ito, K. Hosoda, and M. Ohto* . . 1206

Increased radiosensitivity of granulocyte macrophage colony-forming units and skin fibroblasts in human autosomal recessive severe combined immunodeficiency. *M. Cavazzana-Calvo, F. Le Deist, G. De Saint Basile, D. Papadopoulo, J. P. De Villartay, and A. Fischer* 1214

Regulation of macrophage α_2-macroglobulin receptor/low density lipoprotein receptor–related protein by lipopolysaccharide and interferon-γ. *J. LaMarre, B. B. Wolf, E. L. W. Kittler, P. J. Quesenberry, and S. L. Gonias* 1219

A new antiinflammatory compound, leumedin, inhibits modification of low density lipoprotein and the resulting monocyte transmigration into the subendothelial space of cocultures of human aortic wall cells. *M. Navab, S. Y. Hama, B. J. Van Lenten, D. C. Drinkwater, H. Laks, and A. M. Fogelman* 1225

Activation of Ca-permeable cation channels by myocarditis-associated antibody in guinea pig ventricular myocytes. *M. Tominaga, A. Matsumori, M. Horie, H. Yoshida, and Y. Okada* 1231

Osmolar regulation of endothelin-1 production by rat inner medullary collecting duct. *D. E. Kohan and E. Padilla* 1235

Targeted transfection and expression of hepatitis B viral DNA in human hepatoma cells. *T. J. Liang, W. J. Makdisi, S. Sun, K. Hasegawa, Y. Zhang, J. R. Wands, C. H. Wu, and G. Y. Wu* 1241

Carnitine-acylcarnitine translocase deficiency with severe hypoglycemia and auriculo ventricular block. Translocase assay in permeabilized fibroblasts. *S. V. Pande, M. Brivet, A. Slama, F. Demaugre, C. Aufrant, and J.-M. Saudubray* 1247

Antisense oligodeoxynucleotide to the cystic fibrosis transmembrane conductance regulator inhibits cyclic AMP–activated but not calcium-activated cell volume reduction in a human pancreatic duct cell line. *H. Kopelman, C. Gauthier, and M. Bornstein* 1253

Transinhibition of C1 inhibitor synthesis in type I hereditary angioneurotic edema. *J. Kramer, F. S. Rosen, H. R. Colten, K. Rajczy, and R. C. Strunk* 1258

March Author Index 1263

Contents

The Journal of Clinical Investigation
April 1993, Volume 91, Number 4

Editorials

The power of negative thinking. *B. R. Bloom* 1265
Preventing antiphospholipid antibody-induced fetal loss: a new idea. *M. D. Lockshin* 1267
Vitamin K nutrition and postmenopausal osteoporosis. *P. A. Price* . . 1268

Regular Articles

Cellular localization and regional distribution of an angiotensin II–forming chymase in the heart. *H. Urata, K. D. Boehm, A. Philip, A. Kinoshita, J. Gabrovsek, F. M. Bumpus, and A. Husain* 1269
Antioxidant treatment inhibits the development of intimal thickening after balloon injury of the aorta in hypercholesterolemic rabbits. *A. Freyschuss, A. Stiko-Rahm, J. Swedenborg, P. Henriksson, I. Björkhem, L. Berglund, and J. Nilsson* 1282
Stable transfectants of human MCF-7 breast cancer cells with increased levels of the human folate receptor exhibit an increased sensitivity to antifolates. *K.-N. Chung, Y. Saikawa, T.-H. Paik, K. H. Dixon, T. Mulligan, K. H. Cowan, and P. C. Elwood* 1289
Mechanism of enhanced Na-K-ATPase activity in cortical collecting duct from rats with nephrotic syndrome. *E. Féraille, B. Vogt, M. Rousselot, C. Barlet-Bas, L. Cheval, A. Doucet, and H. Favre* . . . 1295
Replication of Marburg virus in human endothelial cells. A possible mechanism for the development of viral hemorrhagic disease. *H.-J. Schnittler, F. Mahner, D. Drenckhahn, H.-D. Klenk, and H. Feldmann* 1301
Identification of a functional receptor for granulocyte colony-stimulating factor on platelets. *K. Shimoda, S. Okamura, N. Harada, S. Kondo, T. Okamura, and Y. Niho* 1310
Human eosinophil major basic protein is an endogenous allosteric antagonist at the inhibitory muscarinic M2 receptor. *D. B. Jacoby, G. J. Gleich, and A. D. Fryer* 1314
Induction patterns of 70 genes during nine days after hepatectomy define the temporal course of liver regeneration. *B. A. Haber, K. L. Mohn, R. H. Diamond, and R. Taub* 1319
Expression of intercellular adhesion molecule-1 in murine hearts with acute myocarditis caused by coxsackievirus B3. *Y. Seko, H. Matsuda, K. Kato, Y. Hashimoto, H. Yagita, K. Okumura, and Y. Yazaki* . . . 1327
Roles of endothelin-1 and nitric oxide in the mechanism for ethanol-induced vasoconstriction in rat liver. *M. Oshita, Y. Takei, S. Kawano, H. Yoshihara, T. Hijioka, H. Fukui, M. Goto, E. Masuda, Y. Nishimura, H. Fusamoto, and T. Kamada* 1337
α_2-Antiplasmin supplementation inhibits tissue plasminogen activator–induced fibrinogenolysis and bleeding with little effect on thrombolysis. *J. I. Weitz, B. Leslie, J. Hirsh, and P. Klement* 1343
Metabolic and scintigraphic studies of radioiodinated human C-reactive protein in health and disease. *D. M. Vigushin, M. B. Pepys, and P. N. Hawkins* 1351
Defect in skeletal muscle phosphatidylinositol-3-kinase in obese insulin-resistant mice. *S. J. Heydrick, D. Jullien, N. Gautier, J.-F. Tanti, S. Giorgetti, E. Van Obberghen, and Y. Le Marchand-Brustel* 1358
Endothelin receptor subtype B mediates synthesis of nitric oxide by cultured bovine endothelial cells. *Y. Hirata, T. Emori, S. Eguchi, K. Kanno, T. Imai, K. Ohta, and F. Marumo* 1367
Vasodilator and constrictor actions of platelet-activating factor in the isolated microperfused afferent arteriole of the rabbit kidney. Role of endothelium-derived relaxing factor/nitric oxide and cyclooxygenase products. *L. A. Juncos, Y. Ren, S. Arima, and S. Ito* 1374
N-3 fatty acids stimulate intracellular degradation of apoprotein B in rat hepatocytes. *H. Wang, X. Chen, and E. A. Fisher* 1380
Cytokine patterns in the pathogenesis of human leishmaniasis. *C. Pirmez, M. Yamamura, K. Uyemura, M. Paes-Oliveira, F. Conceicão-Silva, and R. L. Modlin* 1390
Increased calcium intake does not suppress circulating 1,25-dihydroxyvitamin D in normocalcemic patients with sarcoidosis. *J. N. Basile, Y. Liel, J. Shary, and N. H. Bell* 1396
Autoantibody reactive with three classes of RNA polymerases in sera from patients with systemic sclerosis. *M. Kuwana, J. Kaburaki, T. Mimori, T. Tojo, and M. Homma* 1399
The thrombin receptor extracellular domain contains sites crucial for peptide ligand–induced activation. *W. F. Bahou, B. S. Coller, C. L. Potter, K. J. Norton, J. L. Kutok, and M. S. Goligorsky* 1405
Human mannose-binding protein functions as an opsonin for influenza A viruses. *K. L. Hartshorn, K. Sastry, M. R. White, E. M. Anders, M. Super, R. A. Ezekowitz, and A. I. Tauber* 1414
Role of phosphodiesterases in the regulation of endothelial permeability in vitro. *N. Suttorp, U. Weber, T. Welsch, and C. Schudt* 1421
Homologous upregulation of human arterial α-adrenergic responses by guanadrel. *R. V. Hogikyan and M. A. Supiano* 1429
Allosteric inhibition of human lymphoblast and purified porphobilinogen deaminase by protoporphyrinogen and coproporphyrinogen. A possible mechanism for the acute attack of variegate porphyria. *P. Meissner, P. Adams, and R. Kirsch* 1436
In vivo metabolism of a mutant form of apolipoprotein A-I, apo A-I_{Milano}, associated with familial hypoalphalipoproteinemia. *P. Roma, R. E. Gregg, M. S. Meng, R. Ronan, L. A. Zech, G. Franceschini, C. R. Sirtori, and H. B. Brewer, Jr.* 1445
Differential effects of renin–angiotensin system blockade on atherogenesis in cholesterol-fed rabbits. *J. R. Schuh, D. J. Blehm, G. E. Frierdich, E. G. McMahon, and E. H. Blaine* 1453
Tumor necrosis factor-α blockade prevents neutrophil CD18 receptor upregulation and attenuates acute lung injury in porcine sepsis without inhibition of neutrophil oxygen radical generation. *A. C. J. Windsor, C. J. Walsh, P. G. Mullen, D. J. Cook, B. J. Fisher, C. R. Blocher, S. K. Leeper-Woodford, H. J. Sugerman, and A. A. Fowler III* 1459
Proliferative activity in peripheral and coronary atherosclerotic plaque among patients undergoing percutaneous revascularization. *J. G. Pickering, L. Weir, J. Jekanowski, M. A. Kearney, and J. M. Isner* 1469
Negative transcriptional regulation of human interleukin 2 (IL-2) gene by glucocorticoids through interference with nuclear transcription factors AP-1 and NF-AT. *F. Paliogianni, A. Raptis, S. S. Ahuja, S. M. Najjar, and D. T. Boumpas* 1481
Phenotypic and functional characterization of human lymphocytes activated by interleukin-2 to directly inhibit growth of *Cryptococcus neoformans* in vitro. *S. M. Levitz and M. P. Dupont* 1490
Dual Ca^{2+} requirement for optimal lipid peroxidation of low density lipoprotein by activated human monocytes. *Q. Li, A. Tallant, and M. K. Cathcart* 1499
Leukotriene D_4 is a mediator of proteinuria and glomerular hemodynamic abnormalities in passive Heymann nephritis. *T. Katoh, E. A. Lianos, M. Fukunaga, K. Takahashi, and K. F. Badr* 1507
Role of AT_1 receptors in the resetting of the baroreflex control of heart rate by angiotensin II in the rabbit. *J. Wong, L. Chou, and I. A. Reid* 1516
The ionic mechanism of reperfusion-induced early afterdepolarizations in feline left ventricular hypertrophy. *T. Furukawa, A. L. Bassett, N. Furukawa, S. Kimura, and R. J. Myerburg* 1521
Cloning of a virulence factor of *Entamoeba histolytica*. Pathogenic strains possess a unique cysteine proteinase gene. *S. Reed, Jr. Bouvier, A. S. Pollack, J. C. Engel, M. Brown, K. Hirata, X. Que, A. Eakin, P. Hagblom, F. Gillin, and J. H. McKerrow* 1532
Cytokines induce urokinase-dependent adhesion of human myeloid cells. A regulatory role for plasminogen activator inhibitors. *D. A. Waltz, L. Z. Sailor, and H. A. Chapman* 1541
Direct interactions of human lymphocytes with the yeast-like organism, *Cryptococcus neoformans*. *J. W. Murphy, M. R. Hidore, and S. C. Wong* 1553
Endogenous antigen presentation by autoantigen-transfected Epstein-Barr virus–lymphoblastoid cells. I. Generation of human thyroid peroxidase–reactive T cells and their T cell receptor repertoire. *A. Martin, R. P. Magnusson, D. L. Kendler, E. Concepcion, A. Ben-Nun, and T. F. Davies* 1567
Induction of cytokine expression by leukemia inhibitory factor. *P. M. Villiger, Y. Geng, and M. Lotz* 1575
NO forms an adduct with serum albumin that has endothelium-derived relaxing factor–like properties. *J. F. Keaney, Jr., D. I. Simon, J. S. Stamler, O. Jaraki, J. Scharfstein, J. A. Vita, and J. Loscalzo* . . 1582

Fluid and electrolyte transport by cultured human airway epithelia. *J. J. Smith and M. J. Welsh* 1590
Diaphragm mechanics in dogs with unilateral emphysema. *R. D. Hubmayr, G. A. Farkas, H.-Y. Tao, G. C. Sieck, and S. S. Margulies* 1598
Medium tonicity regulates expression of the Na^+- and Cl^--dependent betaine transporter in Madin-Darby canine kidney cells by increasing transcription of the transporter gene. *S. Uchida, A. Yamauchi, A. S. Preston, H. M. Kwon, and J. S. Handler* 1604
Human autoantibodies against the 230-kD bullous pemphigoid antigen (BPAG1) bind only to the intracellular domain of the hemidesmosome, whereas those against the 180-kD bullous pemphigoid antigen (BPAG2) bind along the plasma membrane of the hemidesmosome in normal human and swine skin. *A. Ishiko, H. Shimizu, A. Kikuchi, T. Ebihara, T. Hashimoto, and T. Nishikawa* 1608
Bone marrow cells in X-linked agammaglobulinemia express pre-B–specific genes (λ-like and V pre-B) and present immunoglobulin V-D-J gene usage strongly biased to a fetal-like repertoire. *M. Milili, F. Le Deist, G. de Saint-Basile, A. Fischer, M. Fougereau, and C. Schiff* 1616
Sequence polymorphisms in the apolipoprotein(a) gene. Evidence for dissociation between apolipoprotein(a) size and plasma lipoprotein(a) levels. *J. C. Cohen, G. Chiesa, and H. H. Hobbs* 1630
Molecular basis for fibrinogen Dusart (Aα 554 Arg → Cys) and its association with abnormal fibrin polymerization and thrombophilia. *J. Koopman, F. Haverkate, J. Grimbergen, S. T. Lord, M. W. Mosesson, J. P. DiOrio, K. S. Siebenlist, C. Legrand, J. Soria, C. Soria, and J. P. Caen* 1637
In vivo cytokine profiles in patients with Kala-azar. Marked elevation of both interleukin-10 and interferon-gamma. *C. L. Karp, S. H. El-Safi, T. A. Wynn, M. M. H. Satti, A. M. Kordofani, F. A. Hashim, M. Hag-Ali, F. A. Neva, T. B. Nutman, and D. L. Sacks* 1644
Crystal-induced neutrophil activation. III. Inflammatory microcrystals induce a distinct pattern of tyrosine phosphorylation in human neutrophils. *M. Gaudry, C. J. Roberge, R. de Médicis, A. Lussier, P. E. Poubelle, and P. H. Naccache* 1649
Processing of epidermal glucosylceramides is required for optimal mammalian cutaneous permeability barrier function. *W. M. Holleran, Y. Takagi, G. K. Menon, G. Legler, K. R. Feingold, and P. M. Elias* . . 1656
Dietary fat increases high density lipoprotein (HDL) levels both by increasing the transport rates and decreasing the fractional catabolic rates of HDL cholesterol ester and apolipoprotein (Apo) A-I. Presentation of a new animal model and mechanistic studies in human Apo A-I transgenic and control mice. *T. Hayek, Y. Ito, N. Azrolan, R. B. Verdery, K. Aalto-Setälä, A. Walsh, and J. L. Breslow* 1665
Erythrocyte membrane proteins reactive with human (warm-reacting) anti–red cell autoantibodies. *J. P. Leddy, J. L. Falany, G. E. Kissel, S. T. Passador, and S. I. Rosenfeld* 1672
Genetic basis of human complement C4A deficiency. Detection of a point mutation leading to nonexpression. *G. Barba, C. Rittner, and P. M. Schneider* 1681
Genesis and evolution of antichromatin autoantibodies in murine lupus implicates T-dependent immunization with self antigen. *R. W. Burlingame, R. L. Rubin, R. S. Balderas, and A. N. Theofilopoulos* 1687
Doxorubicin cardiomyopathy is associated with a decrease in calcium release channel of the sarcoplasmic reticulum in a chronic rabbit model. *Debra A. Dodd, J. B. Atkinson, R. D. Olson, S. Buck, B. J. Cusack, S. Fleischer, and R. J. Boucek, Jr.* 1697
Effect of excess α-hemoglobin chains on cellular and membrane oxidation in model β-thalassemic erythrocytes. *M. D. Scott, J. J. M. van den Berg, T. Repka, P. Rouyer-Fessard, R. P. Hebbel, Y. Beuzard, and B. H. Lubin* 1706
Expression of SV40 virus large T antigen by recombinant adenoviruses activates proliferation of corneal endothelium in vitro. *S. T. Feldman, R. Gjerset, D. Gately, K. R. Chien, and J. R. Feramisco* 1713
Eosinophil cationic granule proteins impair thrombomodulin function. A potential mechanism for thromboembolism in hypereosinophilic heart disease. *A. Slungaard, G. M. Vercellotti, T. Tran, G. J. Gleich, and N. S. Key* 1721
IL-1–induced murine osteoblast IL-6 production is mediated by the type 1 IL-1 receptor and is increased by 1,25 dihydroxyvitamin D_3. *D. L. Lacey, L. E. Grosso, S. A. Moser, J. Erdmann, H.-L. Tan, R. Pacifici, and D. T. Villareal* 1731
Increased plasma and renal clearance of an exchangeable pool of apolipoprotein A-I in subjects with low levels of high density lipoprotein cholesterol. *B. S. Horowitz, I. J. Goldberg, J. Merab, T. M. Vanni, R. Ramakrishnan, and H. N. Ginsberg* 1743
Gene p53 mutations are restricted to poorly differentiated and undifferentiated carcinomas of the thyroid gland. *R. Donghi, A. Longoni, S. Pilotti, P. Michieli, G. Della Porta, and M. A. Pierotti* 1753
Dietary induced subclinical vitamin K deficiency in normal human subjects. *G. Ferland, J. A. Sadowski, and M. E. O'Brien* 1761
Serum undercarboxylated osteocalcin is a marker of the risk of hip fracture in elderly women. *P. Szulc, M.-C. Chapuy, P. J. Meunier, and P. D. Delmas* 1769
The protein CD63 is in platelet dense granules, is deficient in a patient with Hermansky-Pudlak syndrome, and appears identical to granulophysin. *M. Nishibori, B. Cham, A. McNicol, A. Shalev, N. Jain, and J. M. Gerrard* 1775
Chronic growth hormone (GH) hypersecretion induces reciprocal and reversible changes in mRNA levels from hypothalamic GH-releasing hormone and somatostatin neurons in the rat. *J. Bertherat, J. Timsit, M.-T. Bluet-Pajot, J.-J. Mercadier, D. Gourdji, C. Kordon, and J. Epelbaum* 1783
Metalloproteinases and tissue inhibitor of metalloproteinases in mesothelial cells. Cellular differentiation influences expression. *B. C. Marshall, A. Santana, Q.-P. Xu, M. J. Petersen, E. J. Campbell, J. R. Hoidal, and H. G. Welgus* 1792

Rapid Publications

Bone morphogenetic protein expression in human atherosclerotic lesions. *K. Boström, K. E. Watson, S. Horn, C. Wortham, I. M. Herman, and L. L. Demer* 1800
Anatomical and developmental patterns of facilitative glucose transporter gene expression in the rat kidney. *E. Chin, J. Zhou, and C. Bondy* 1810
Hereditary tyrosinemia Type I. Self-induced correction of the fumarylacetoacetase defect. *E. A. Kvittingen, H. Rootwelt, P. Brandtzaeg, A. Bergan, and R. Berger* 1816
Recombinant platelet-derived growth factor B gene expression in porcine arteries induces intimal hyperplasia in vivo. *E. G. Nabel, Z. Yang, S. Liptay, H. San, D. Gordon, C. C. Haudenschild, and G. J. Nabel* . . 1822
Suppression of food intake by apolipoprotein A-IV is mediated through the central nervous system in rats. *K. Fujimoto, K. Fukagawa, T. Sakata, and P. Tso* 1830
Prevention of fetal loss in experimental antiphospholipid syndrome by in vivo administration of recombinant interleukin-3. *P. Fishman, E. Falach-Vaknine, R. Zigelman, R. Bakimer, B. Sredni, M. Djaldetti, and Y. Shoenfeld* 1834
Isolation of germinal centerlike events from human spleen RNA. Somatic hypermutation of a clonally related $V_{H6}DJ_H$ rearrangement expressed with IgM, IgG, and IgA. *W. S. Varade and R. A. Insel* . . . 1838
Enhanced prostacyclin synthesis in endothelial cells by retrovirus-mediated transfer of prostaglandin H synthase cDNA. *X.-M. Xu, K. Ohashi, S. K. Sanduja, K.-H. Ruan, L.-H. Wang, and K. K. Wu* . . 1843
April Author Index 1850
Correction 1853
Correction 1855

Contents

The Journal of Clinical Investigation
May 1993, Volume 91, Number 5

Editorials

AMP and microamps: neutrophil-derived chloride secretagogue identified. *A. E. Traynor-Kaplan and K. E. Barrett* 1857

"Copy and paste" transposable elements in the human genome. *H. H. Kazazian, Jr., and A. F. Scott* 1859

Pulmonary neuroendocrine cells and lung development: dim outlines emerge. *Y. E. Miller* 1861

Regular Articles

Insertion of a 5′ truncated L1 element into the 3′ end of exon 44 of the dystrophin gene resulted in skipping of the exon during splicing in a case of Duchennne muscular dystrophy. *N. Narita, H. Nishio, Y. Kitoh, Y. Ishikawa, Y. Ishikawa, R. Minami, H. Nakamura, and M. Matsuo* 1862

Tumor necrosis factor-α modifies adhesion properties of rat islet B cells. *V. Cirulli, P. A. Halban, and D. G. Rouiller* 1868

Importance of Factor Xa in determining the procoagulant activity of whole-blood clots. *P. R. Eisenberg, J. E. Siegel, D. R. Abendschein, and J. P. Miletich* 1877

Carbamyl phosphate synthetase I deficiency. One base substitution in an exon of the CPS I gene causes a 9-basepair deletion due to aberrant splicing. *R. Hoshide, T. Matsuura, Y. Haraguchi, F. Endo, M. Yoshinaga, and I. Matsuda* 1884

Connexin43 mediates direct intercellular communication in human osteoblastic cell networks. *R. Civitelli, E. C. Beyer, P. M. Warlow, A. J. Robertson, S. T. Geist, and T. H. Steinberg* 1888

Insulin resistance in liver cirrhosis. Positron-emission tomography scan analysis of skeletal muscle glucose metabolism. *O. Selberg, W. Burchert, J. v. d. Hoff, G. J. Meyer, H. Hundeshagen, E. Radoch, H.-J. Balks, and M. J. Müller* 1897

Suppression of hypothalamic-pituitary-adrenal axis responsiveness to stress in a rat model of acute cholestasis. *M. G. Swain, V. Patchev, J. Vergalla, G. Chrousos, and E. A. Jones* 1903

Binding, internalization, and degradation of mannose-terminated glucocerebrosidase by macrophages. *Y. Sato and E. Beutler* . . . 1909

A mutation of the glucocorticoid receptor in primary cortisol resistance. *D. M. Malchoff, A. Brufsky, G. Reardon, P. McDermott, E. C. Javier, C.-H. Bergh, D. Rowe, and C. D. Malchoff* 1918

Plasma triglycerides determine low density lipoprotein composition, physical properties, and cell-specific binding in cultured cells. *B. J. McKeone, J. R. Patsch, and H. J. Pownall* . . 1926

Cell–cell signaling between adult rat ventricular myocytes and cardiac microvascular endothelial cells in heterotypic primary culture. *M. Nishida, J. P. Springhorn, R. A. Kelly, and T. W. Smith* 1934

Phospholipase D–modified low density lipoprotein is taken up by macrophages at increased rate. A possible role for phosphatidic acid. *M. Aviram and I. Maor* 1942

Gene-environment interaction in the conversion of a mild-to-severe phenotype in a patient homozygous for a Ser^{172}→Cys mutation in the lipoprotein lipase gene. *Y. Ma, M.-S. Liu, D. Ginzinger, J. Frohlich, J. D. Brunzell, and M. R. Hayden* . . 1953

Cloning and chromosomal localization of a human kidney cDNA involved in cystine, dibasic, and neutral amino acid transport. *W.-S. Lee, R. G. Wells, R. V. Sabbag, T. K. Mohandas, and M. A. Hediger* 1959

Localization of a functional autoimmune epitope on the muscarinic acetylcholine receptor-2 in patients with idiopathic dilated cardiomyopathy. *L.-X. Fu, Y. Magnusson, C.-H. Bergh, J. A. Liljeqvist, F. Waagstein, Å. Hjalmarson, and J. Hoebeke* 1964

CD10/Neutral endopeptidase 24.11 regulates fetal lung growth and maturation in utero by potentiating endogenous bombesin-like peptides. *K. A. King, J. Hua, J. S. Torday, J. M. Drazen, S. A. Graham, M. A. Shipp, and M. E. Sunday* 1969

Terminal complement complex C5b-9 stimulates mitogenesis in 3T3 cells. *J. A. Halperin, A. Taratuska, and A. Nicholson-Weller* 1974

Mucormycosis during deferoxamine therapy is a siderophore-mediated infection. In vitro and in vivo animal studies. *J. R. Boelaert, M. de Locht, J. Van Cutsem, V. Kerrels, B. Cantinieaux, A. Verdonck, H. W. Van Landuyt, and Y.-J. Schneider* 1979

Differences in the antibody response to human immunodeficiency virus-1 envelope glycoprotein (gp160) in infected laboratory workers and vaccinees. *S. H. Pincus, K. G. Messer, D. H. Schwartz, G. K. Lewis, B. S. Graham, W. A. Blattner, and G. Fisher* . . . 1987

Role of vascular alpha-2 adrenoceptors in regulating lipid mobilization from human adipose tissue. *J. Galitzky, M. Lafontan, J. Nordenström, and P. Arner* 1997

Bisphosphonates act on rat bone resorption through the mediation of osteoblasts. *M. Sahni, H. L. Guenther, H. Fleisch, P. Collin, and T. J. Martin* 2004

Endothelium-derived relaxing factor/nitric oxide modulates angiotensin II action in the isolated microperfused rabbit afferent but not efferent arteriole. *S. Ito, S. Arima, Y. L. Ren, L. A. Juncos, and O. A. Carretero* 2012

Glucocorticoid regulation of insulin receptor and substrate IRS-1 tyrosine phosphorylation in rat skeletal muscle in vivo. *F. Giorgino, A. Almahfouz, L. J. Goodyear, and R. J. Smith* . . . 2020

Interferon-γ inhibits macrophage apolipoprotein E production by posttranslational mechanisms. *K. Brand, N. Mackman, and L. K. Curtiss* 2031

High stimulatory activity of dendritic cells from diabetes-prone BioBreeding/Worcester rats exposed to macrophage-derived factors. *A. Tafuri, W. E. Bowers, E. S. Handler, M. Appel, R. Lew, D. Greiner, J. P. Mordes, and A. A. Rossini* 2040

Characterization and distribution of α_2-adrenergic receptors in the human intestinal mucosa. *P. Valet, J.-M. Senard, J.-C. Devedjian, V. Planat, R. Salomon, T. Voisin, G. Drean, A. Couvineau, D. Daviaud, C. Denis, M. Laburthe, and H. Paris* 2049

Gene expression of the renin-angiotensin system in human tissues. Quantitative analysis by the polymerase chain reaction. *M. Paul, J. Wagner, and V. J. Dzau* 2058

Tissue localization of β receptors for platelet-derived growth factor and platelet-derived growth factor B chain during wound repair in humans. *C. Reuterdahl, C. Sundberg, K. Rubin, K. Funa, and B. Gerdin* 2065

Mechanisms of stimulation of interleukin-1β and tumor necrosis factor-α by *Mycobacterium tuberculosis* components. *Y. Zhang, M. Doerfler, T. C. Lee, B. Guillemin, and W. N. Rom* 2076

Demonstration of GAD-65 as the main immunogenic isoform of glutamate decarboxylase in type 1 diabetes and determination of autoantibodies using a radioligand produced by eukaryotic expression. *L. A. Velloso, O. Kämpe, A. Hallberg, L. Christmanson, C. Betsholtz, and F. A. Karlsson* 2084

Low expression allele α^{LELY} of red cell spectrin is associated with mutations in exon 40 ($\alpha^{V/41}$ polymorphism) and intron 45 and with partial skipping of exon 46. *R. Wilmotte, J. Maréchal, L. Morlé, F. Baklouti, N. Philippe, R. Kastally, L. Kotula, J. Delaunay, and N. Alloisio* 2091

Identification of the human NHE-1 form of Na^+-H^+ exchanger in rabbit renal brush border membranes. *E. J. Weinman, D. Steplock, D. Corry, and S. Shenolikar* 2097

Persistent repression of a functional allele can be responsible for galactosyltransferase deficiency : Tn syndrome. *M. Thurnher, S. Rusconi, and E. G. Berger* 2103

P53 Mutation in acute T cell lymphoblastic leukemia is of somatic origin and is stable during establishment of T cell acute lymphoblastic leukemia cell lines. *J. Yeargin, J. Cheng, A. L. Yu, R. Gjerset, M. Bogart, and M. Haas* 2111

Regulation of human eosinophil degranulation and activation by endogenous phospholipase A_2. *S. R. White, M. E. Strek, G. V. P. Kulp, S. M. Spaethe, R. A. Burch, S. P. Neeley, and A. R. Leff* 2118

Effects of low dose oral contraceptives on very low density and low density lipoprotein metabolism. *B. W. Walsh and F. M. Sacks* . . 2126

Expression of the phenotypic abnormality of platelet-type von Willebrand disease in a recombinant glycoprotein Ibα fragment. *M. Murata, S. R. Russell, Z. M. Ruggeri, and J. Ware* 2133

Cytokine-induced expression of a nitric oxide synthase in rat renal tubule cells. *B. A. Markewitz, J. R. Michael, and D. E. Kohan* . . 2138

Effects of endothelin receptor antagonist on cyclosporine-induced vasoconstriction in isolated rat renal arterioles. *D. M. Lanese and J. D. Conger* 2144

Genetic basis for a lower prevalence of deficient CYP2D6 oxidative drug metabolism phenotypes in Black Americans. *W. E. Evans, M. V. Relling, A. Rahman, H. L. McLeod, E. P. Scott, and J.-S. Lin* 2150

Regulation of human mononuclear phagocyte migration by cell surface–binding proteins for advanced glycation end products. *A. M. Schmidt, S. D. Yan, J. Brett, R. Mora, R. Nowygrod, and D. Stern* 2155

von Willebrand factor mutation enhancing interaction with platelets in patients with normal multimeric structure. *L. Holmberg, J. A. Dent, R. Schneppenheim, U. Budde, J. Ware, and Z. M. Ruggeri* 2169

Renal acid excretion and intracellular pH in salt-sensitive genetic hypertension. *D. C. Batlle, A. M. Sharma, M. W. Alsheikha, M. Sobrero, A. Saleh, and C. Gutterman* 2178

Plasminogen activator inhibitor-1 synthesis in the human hepatoma cell line Hep G2. Metformin inhibits the stimulating effect of insulin. *F. Anfosso, N. Chomiki, M. C. Alessi, P. Vague, and I. Juhan-Vague* 2185

Tumor necrosis factor and its receptors in human ovarian cancer. Potential role in disease progression. *M. S. Naylor, G. W. H. Stamp, W. D. Foulkes, D. Eccles, and F. R. Balkwill* 2194

Sensitivity of K562 human chronic myelogenous leukemia blast cells transfected with a human multidrug resistance cDNA to cytotoxic drugs and differentiating agents. *W. N. Hait, S. Choudhury, S. Srimatkandada, and J. R. Murren* 2207

Tissue infiltration in a CD8 lymphocytosis syndrome associated with human immunodeficiency virus-1 infection has the phenotypic appearance of an antigenically driven response. *S. Itescu, J. Dalton, H.-Z. Zhang, and R. Winchester* 2216

Detection of genomic and intermediate replicative strands of hepatitis C virus in liver tissue by in situ hybridization. *K. T. Nouri Aria, R. Sallie, D. Sangar, G. J. M. Alexander, H. Smith, J. Byrne, B. Portmann, A. L. W. F. Eddleston, and R. Williams* 2226

Patterns of expression of vascular endothelial growth factor (VEGF) and VEGF receptors in mice suggest a role in hormonally regulated angiogenesis. *D. Shweiki, A. Itin, G. Neufeld, H. Gitay-Goren, and E. Keshet* 2235

Rapid Publications

Cell-specific expression of hepatocyte growth factor in liver. Upregulation in sinusoidal endothelial cells after carbon tetrachloride. *J. J. Maher* 2244

Tissue factor is rapidly induced in arterial smooth muscle after balloon injury. *J. D. Marmur, M. Rossikhina, A. Guha, B. Fyfe, V. Friedrich, M. Mendlowitz, Y. Nemerson, and M. B. Taubman* 2253

Rearrangements of the retinoic acid receptor alpha and promyelocytic leukemia zinc finger genes resulting from t(11;17)(q23;q21) in a patient with acute promyelocytic leukemia. *S.-J. Chen, A. Zelent, J.-H. Tong, H.-Q. Yu, Z.-Y. Wang, J. Derré, R. Berger, S. Waxman, and Z. Chen* 2260

Multiple autocrine growth factors modulate vascular smooth muscle cell growth response to angiotensin II. *H. Itoh, M. Mukoyama, R. E. Pratt, G. H. Gibbons, and V. J. Dzau* . . . 2268

Alternative splicing: a mechanism for phenotypic rescue of a common inherited defect. *H. Morisaki, T. Morisaki, L. K. Newby, and E. W. Holmes* 2275

Recombinant human insulin-like growth factor-I accelerates recovery and reduces catabolism in rats with ischemic acute renal failure. *H. Ding, J. D. Kopple, A. Cohen, and R. Hirschberg* . . . 2281

Selective growth arrest and phenotypic reversion of prostate cancer cells in vitro by nontoxic pharmacological concentrations of phenylacetate. *D. Samid, S. Shack, and C. E. Myers* 2288

Differential expression of mutant and normal beta T3 receptor alleles in kindreds with generalized resistance to thyroid hormone. *A. J. Mixson, P. Hauser, G. Tennyson, J. C. Renault, D. L. Bodenner, and B. D. Weintraub* 2296

Defective major histocompatibility complex class I expression on lymphoid cells in autoimmunity. *Y. Fu, D. M. Nathan, F. Li, X. Li, and D. L. Faustman* 2301

Protamine and protamine-insulins exacerbate the vascular response to injury. *E. R. Edelman, L. A. Pukac, and M. J. Karnovsky* . . 2308

Abnormal contractile function due to induction of nitric oxide synthesis in rat cardiac myocytes follows exposure to activated macrophage-conditioned medium. *J.-L. Balligand, D. Ungureanu, R. A. Kelly, L. Kobzik, D. Pimental, T. Michel, and T. W. Smith* 2314

5′-adenosine monophosphate is the neutrophil-derived paracrine factor that elicits chloride secretion from T84 intestinal epithelial cell monolayers. *J. L. Madara, T. W. Patapoff, B. Gillece-Castro, S. P. Colgan, C. A. Parkos, C. Delp, and R. J. Mrsny* 2320

Differential phosphorylation of azidothymidine, dideoxycytidine, and dideoxyinosine in resting and activated peripheral blood mononuclear cells. *W.-Y. Gao, T. Shirasaka, D. G. Johns, S. Broder, and H. Mitsuya* 2326

May Author Index 2334

Correction 2335

Contents

The Journal of Clinical Investigation
June 1993, Volume 91, Number 6

Editorials

The genetic basis of X-linked nephrolithiasis: leaving no stone unturned. *L. J. Shapiro* 2339
Misguided leukocyte adhesion. *R. P. McEver* 2340

Regular Articles

Glycogen synthase and phosphofructokinase protein and mRNA levels in skeletal muscle from insulin-resistant patients with non–insulin-dependent diabetes mellitus. *H. Vestergaard, S. Lund, F. S. Larsen, O. J. Bjerrum, and O. Pedersen* 2342
Mapping the gene causing X-linked recessive nephrolithiasis to Xp11.22 by linkage studies. *S. J. Scheinman, M. A. Pook, C. Wooding, J. T. Pang, P. A. Frymoyer, and R. V. Thakker* 2351
A fetally expressed immunoglobulin V_H1 gene belongs to a complex set of alleles. *E. H. Sasso, K. W. van Dijk, A. P. Bull, and E. C. B. Milner* 2358
Hyaluronate activation of CD44 induces insulin-like growth factor-1 expression by a tumor necrosis factor-α–dependent mechanism in murine macrophages. *P. W. Noble, F. R. Lake, P. M. Henson, and D. W. H. Riches* 2368
Characterization of adhesive interactions between human endothelial cells and megakaryocytes. *H. Avraham, S. Cowley, S. Y. Chi, S. Jiang, and J. E. Groopman* 2378
Regulation of collecting tubule adenosine triphosphatases by aldosterone and potassium. *S. Eiam-Ong, N. A. Kurtzman, and S. Sabatini* . . . 2385
Protective protein gene mutations in galactosialidosis. *M. Shimmoto, Y. Fukuhara, K. Itoh, A. Oshima, H. Sakuraba, and Y. Suzuki* 2393
Endogenous prostaglandin E_2 mediates inhibition of rat thick ascending limb Cl reabsorption in chronic hypercalcemia. *L. N. Peterson, A. J. McKay, and J. S. Borzecki* 2399
Identical mutations in unrelated families with generalized resistance to thyroid hormone occur in cytosine–guanine-rich areas of the thyroid hormone receptor beta gene. Analysis of 15 families. *R. E. Weiss, M. Weinberg, and S. Refetoff* 2408
A vitamin D analogue (EB1089) inhibits parathyroid hormone–related peptide production and prevents the development of malignancy-associated hypercalcemia in vivo. *M. Haq, R. Kremer, D. Goltzman, and S. A. Rabbani* 2416
Guanylin stimulation of Cl^- secretion in human intestinal T_{84} cells via cyclic guanosine monophosphate. *L. R. Forte, S. L. Eber, J. T. Turner, R. H. Freeman, K. F. Fok, and M. G. Currie* 2423
The effect of hemodialysis on protein metabolism. A leucine kinetic study. *V. S. Lim, D. M. Bier, M. J. Flanigan, and S. T. Sum-Ping* . . . 2429
Short-term effects of tumor necrosis factor on energy and substrate metabolism in dogs. *Y. Sakurai, X.-j. Zhang, and R. R. Wolfe* 2437
Evidence for an antiviral effect of nitric oxide. Inhibition of herpes simplex virus type 1 replication. *K. D. Croen* 2446
A low dose euglycemic infusion of recombinant human insulin-like growth factor I rapidly suppresses fasting-enhanced pulsatile growth hormone secretion in humans. *M. L. Hartman, P. E. Clayton, M. L. Johnson, A. Celniker, A. J. Perlman, K. G. M. M. Alberti, and M. O. Thorner* 2453
Accumulation of Maillard reaction products in skin collagen in diabetes and aging. *D. G. Dyer, J. A. Dunn, S. R. Thorpe, K. E. Bailie, T. J. Lyons, D. R. McCance, and J. W. Baynes* 2463
Maillard reaction products and their relation to complications in insulin-dependent diabetes mellitus. *D. R. McCance, D. G. Dyer, J. A. Dunn, K. E. Bailie, S. R. Thorpe, J. W. Baynes, and T. J. Lyons* 2470
Loss of cancellous bone mass and connectivity in ovariectomized rats can be restored by combined treatment with parathyroid hormone and estradiol. *V. Shen, D. W. Dempster, R. Birchman, R. Xu, and R. Lindsay* 2479
Frameshift and splice-junction mutations in the sterol 27-hydroxylase gene cause cerebrotendinous xanthomatosis in Jews of Moroccan origin. *E. Leitersdorf, A. Reshef, V. Meiner, R. Levitzki, S. P. Schwartz, E. J. Dann, N. Berkman, J. J. Cali, L. Klapholz, and V. M. Berginer* . . 2488
Enzymatic methyl esterification of erythrocyte membrane proteins is impaired in chronic renal failure. Evidence for high levels of the natural inhibitor S-adenosylhomocysteine. *A. F. Perna, D. Ingrosso, V. Zappia, P. Galletti, G. Capasso, and N. G. De Santo* 2497
Interferon-α and interleukin 2 synergistically enhance basic fibroblast growth factor synthesis and induce release, promoting endothelial cell growth. *F. Cozzolino, M. Torcia, M. Lucibello, L. Morbidelli, M. Ziche, J. Platt, S. Fabiani, J. Brett, and D. Stern* 2504
Isolation of a human myocardial cytosolic phospholipase A_2 isoform. Fast atom bombardment mass spectroscopic and reverse-phase high pressure liquid chromatography identification of choline and ethanolamine glycerophospholipid substrates. *S. L. Hazen, C. R. Hall, D. A. Ford, and R. W. Gross* 2513
Regulation of follistatin messenger ribonucleic acid levels in the rat pituitary. *U. B. Kaiser and W. W. Chin* 2523
Plasma lipoproteins after triglyceride clearance in cholesterol-fed rats. *S. H. Quarfordt, B. S. Oswald, M. O. Farouk, D. C. Wehrenberg, E. B. Morton, and B. A. Landis* 2532
Sequencing of cDNA from 50 unrelated patients reveals that mutations in the triple-helical domain of type III procollagen are an infrequent cause of aortic aneurysms. *G. Tromp, Y. Wu, D. J. Prockop, S. L. Madhatheri, C. Kleinert, J. J. Earley, J. Zhuang, Ö. Norrgård, R. C. Darling, W. M. Abbott, C. W. Cole, P. Jaakkola, M. Ryynänen, W. H. Pearce, J. S. T. Yao, K. Majamaa, S. N. Smullens, Z. Gatalica, R. E. Ferrell, S. A. Jimenez, C. E. Jackson, V. V. Michels, M. Kaye, and H. Kuivaniemi* 2539
Hypercholesterolemia increases endothelial superoxide anion production. *Y. Ohara, T. E. Peterson, and D. G. Harrison* 2546
Human plasma transport of vitamin D after its endogenous synthesis. *J. G. Haddad, L. Y. Matsuoka, B. W. Hollis, Y. Z. Hu, and J. Wortsman* 2552
Reaction of anti-OJ autoantibodies with components of the multi-enzyme complex of aminoacyl-tRNA synthetases in addition to isoleucyl-tRNA synthetase. *I. N. Targoff, E. P. Trieu, and F. W. Miller* 2556
Possible involvement of inefficient cleavage of preprovasopressin by signal peptidase as a cause for familial central diabetes insipidus. *M. Ito, Y. Oiso, T. Murase, K. Kondo, H. Saito, T. Chinzei, M. Racchi, and M. O. Lively* 2565
Genetic control of inflammatory gene induction and NF-κB-like transcription factor activation in response to an atherogenic diet in mice. *F. Liao, A. Andalibi, F. C. deBeer, A. M. Fogelman, and A. J. Lusis* . . 2572
Novel and effective gene transfer technique for study of vascular renin angiotensin system. *R. Morishita, G. H. Gibbons, Y. Kaneda, T. Ogihara, and V. J. Dzau* 2580
The serology of chronic hepatitis B infection revisited. *T. Maruyama, A. McLachlan, S. Iino, K. Koike, K. Kurokawa, and D. R. Milich* . . . 2586
Enhancement of macrophage candidacidal activity by interferon-γ. Increased phagocytosis, killing, and calcium signal mediated by a decreased number of mannose receptors. *L. Maródi, S. Schreiber, D. C. Anderson, R. P. MacDermott, H. M. Korchak, and R. B. Johnston, Jr.* 2596
Accelerated rejection of murine cardiac allografts by murine cytomegalovirus–infected recipients. Lack of haplotype specificity. *J. F. Carlquist, J. Shelby, Y. L. Shao, J. H. Greenwood, M. E. Hammond, and J. L. Anderson* 2602
Monocyte–endothelial adhesion in chronic rheumatoid arthritis. In situ detection of selectin and integrin-dependent interactions. *J. S. Grober, B. L. Bowen, H. Ebling, B. Athey, C. B. Thompson, D. A. Fox, and L. M. Stoolman* 2609
In vivo neutralization of P-selectin protects feline heart and endothelium in myocardial ischemia and reperfusion injury. *A. S. Weyrich, X.-l. Ma, D. J. Lefer, K. H. Albertine, and A. M. Lefer* 2620
Multimerin is found in the α-granules of resting platelets and is synthesized by a megakaryocytic cell line. *C. P. M. Hayward, D. F. Bainton, J. W. Smith, P. Horsewood, R. H. Stead, T. J. Podor, T. E. Warkentin, and J. G. Kelton* 2630
Endothelial cell adhesion in real time. Measurements in vitro by tandem scanning confocal image analysis. *P. F. Davies, A. Robotewskyj, and M. L. Griem* 2640

Molecular mimicry in primary biliary cirrhosis. Evidence for biliary epithelial expression of a molecule cross-reactive with pyruvate dehydrogenase complex-E2. *J. Van de Water, J. Turchany, P. S. C. Leung, J. Lake, S. Munoz, C. D. Surh, R. Coppel, A. Ansari, Y. Nakanuma, and M. E. Gershwin* 2653

Identification of autoantibodies to RNA polymerase II. Occurrence in systemic sclerosis and association with autoantibodies to RNA polymerases I and III. *M. Hirakata, Y. Okano, U. Pati, A. Suwa, T. A. Medsger, Jr., J. A. Hardin, and J. Craft* 2665

Human eosinophils can express the cytokines tumor necrosis factor-α and macrophage inflammatory protein-1α. *J. J. Costa, K. Matossian, M. B. Resnick, W. J. Beil, D. T. W. Wong, J. R. Gordon, A. M. Dvorak, P. F. Weller, and S. J. Galli* 2673

Restrictive lung function and asbestos-induced pleural fibrosis. A quantitative approach. *D. A. Schwartz, J. R. Galvin, S. J. Yagla, S. B. Speakman, J. A. Merchant, and G. W. Hunninghake* 2685

Increased expression of heat shock protein 65 coincides with a population of infiltrating T lymphocytes in atherosclerotic lesions of rabbits specifically responding to heat shock protein 65. *Q. Xu, R. Kleindienst, W. Waitz, H. Dietrich, and G. Wick* 2693

Glucocorticoids accelerate fetal maturation of the epidermal permeability barrier in the rat. *M. Aszterbaum, K. R. Feingold, G. K. Menon, and M. L. Williams* 2703

The thyroid gland is a major source of circulating T_3 in the rat. *J.-P. Chanoine, L. E. Braverman, A. P. Farwell, M. Safran, S. Alex, S. Dubord, and J. L. Leonard* 2709

Ethinylestradiol treatment induces multiple canalicular membrane transport alterations in rat liver. *R. Bossard, B. Stieger, B. O'Neill, G. Fricker, and P. J. Meier* 2714

Early molecular replication of human immunodeficiency virus type 1 in cultured-blood-derived T helper dendritic cells. *E. Langhoff, K. H. Kalland, and W. A. Haseltine* 2721

Enhanced expression of superoxide dismutase messenger RNA in viral myocarditis. An SH-dependent reduction of its expression and myocardial injury. *H. Suzuki, A. Matsumori, Y. Matoba, B.-s. Kyu, A. Tanaka, J. Fujita, and S. Sasayama* 2727

Restricted immunoglobulin VH usage and VDJ combinations in the human response to *Haemophilus influenzae* type b capsular polysaccharide. Nucleotide sequences of monospecific anti-*Haemophilus* antibodies and polyspecific antibodies cross-reacting with self antigens. *E. E. Adderson, P. G. Shackelford, A. Quinn, P. M. Wilson, M. W. Cunningham, R. A. Insel, and W. L. Carroll* 2734

Pre-eclampsia is associated with an increase in trophoblast glycogen content and glycogen synthase activity, similar to that found in hydatidiform moles. *P. D. Arkwright, T. W. Rademacher, R. A. Dwek, and C. W. G. Redman* 2744

Endotoxin-induced pulmonary dysfunction is prevented by C1-esterase inhibitor. *R. Guerrero, F. Velasco, M. Rodriguez, A. Lopez, R. Rojas, M. A. Alvarez, R. Villalba, V. Rubio, A. Torres, and D. del Castillo* . . 2754

Antigen nonspecific effect of major histocompatibility complex haplotype on autoantibody levels in systemic lupus erythematosus–prone *Ipr* mice. *P. L. Cohen, E. Creech, D. Nakul-Aquaronne, R. McDaniel, S. Ackler, R. G. Rapoport, E. S. Sobel, and R. A. Eisenberg* 2761

Quantitation of human immunodeficiency virus, immune activation factors, and quinolinic acid in AIDS brains. *C. L. Achim, M. P. Heyes, and C. A. Wiley* 2769

Renal bicarbonate reabsorption in the rat. IV. Bicarbonate transport mechanisms in the early and late distal tubule. *T. Wang, G. Malnic, G. Giebisch, and Y. L. Chan* 2776

Sucrase-α-dextrinase in the rat. Postinsertional conversion to inactive molecular species by a carbohydrate-free diet. *R. Quan and G. M. Gray* 2785

Herbimycin A, a $pp60^{c\text{-}src}$ tyrosine kinase inhibitor, inhibits osteoclastic bone resorption in vitro and hypercalcemia in vivo. *T. Yoneda, C. Lowe, C.-H. Lee, G. Gutierrez, M. Niewolna, P. J. Williams, E. Izbicka, Y. Uehara, and G. R. Mundy* 2791

Stimulation of rat hepatic low density lipoprotein receptors by glucagon. Evidence of a novel regulatory mechanism in vivo. *M. Rudling and B. Angelin* 2796

Interleukin-6 production in posttransplant lymphoproliferative disease. *G. Tosato, K. Jones, M. K. Breinig, H. P. McWilliams, and J. L. C. McKnight* 2806

Association of somatotrophinomas with loss of alleles on chromosome 11 and with *gsp* mutations. *R. V. Thakker, M. A. Pook, C. Wooding, M. Boscaro, M. Scanarini, and R. N. Clayton* 2815

Reversible inhibition of urea exchange in rat hepatocytes. *R. M. Effros, E. Jacobs, A. Hacker, K. Ozker, and C. Murphy* 2822

Analysis of T helper and antigen-presenting cell functions in cord blood and peripheral blood leukocytes from healthy children of different ages. *M. Clerici, L. DePalma, E. Roilides, R. Baker, and G. M. Shearer* . . 2829

Replication, establishment of latency, and induced reactivation of herpes simplex virus γ_1 34.5 deletion mutants in rodent models. *R. J. Whitley, E. R. Kern, S. Chatterjee, J. Chou, and B. Roizman* 2837

Hormonal control of intestinal Fc receptor gene expression and immunoglobulin transport in suckling rats. *M. G. Martín, S. V. Wu, and J. H. Walsh* 2844

Rapid Publications

Tissue factor pathway inhibitor reduces mortality from *Escherichia coli* septic shock. *A. A. Creasey, A. C. K. Chang, L. Feigen, T.-C. Wün, F. B. Taylor, Jr., and L. B. Hinshaw* 2850

Skeletal muscle expression and abnormal function of β-myosin in hypertrophic cardiomyopathy. *G. Cuda, L. Fananapazir, W.-S. Zhu, J. R. Sellers, and N. D. Epstein* 2861

Tyrosyl radical generated by myeloperoxidase catalyzes the oxidative cross-linking of proteins. *J. W. Heinecke, W. Li, G. A. Francis, and J. A. Goldstein* 2866

Homocysteine-induced modulation of tissue plasminogen activator binding to its endothelial cell membrane receptor. *K. A. Hajjar* . . . 2873

Analysis of T cell receptor repertoire of muscle-infiltrating T lymphocytes in polymyositis. Restricted Vα/β rearrangements may indicate antigen-driven selection. *R. Mantegazza, F. Andreetta, P. Bernasconi, F. Baggi, J. R. Oksenberg, O. Simoncini, M. Mora, F. Cornelio, and L. Steinman* 2880

Interleukin 3 stimulates proliferation and triggers endothelial–leukocyte adhesion molecule 1 gene activation of human endothelial cells. *M. F. Brizzi, G. Garbarino, P. R. Rossi, G. L. Pagliardi, C. Arduino, G. C. Avanzi, and L. Pegoraro* 2887

In vivo behavior of neutrophils from two patients with distinct inherited leukocyte adhesion deficiency syndromes. *U. H. von Andrian, E. M. Berger, L. Ramezani, J. D. Chambers, H. D. Ochs, J. M. Harlan, J. C. Paulson, A. Etzioni, and K.-E. Arfors* 2893

June Author Index 2898

Author Index to Volume 91 2900